


Sorrento Sliding Door Cabinet Frame







Model No. SSDC72



ASSEMBLY INSTRUCTIONS






CALL 1-800-822-8037 FOR ASSISTANCE







PARTS LIST

Name	Part	Qty.	Spare Qty	Name	Part	Qty.	Spare Qty
A	 REALS003 Cam Post HB	62	5	D	 REALS004 Wood Dowel HB	72	5
B	 REALS001 Cam Fastener HB	70	6	E	 REALS030 Dicephalous Post HB	4	1
C	 REALS102** Sticker 20mm HB	24	4		 MSSDC72HB		

Items with HB are in the hardware box.
**Denotes Color Code

PARTS LIST


Name	Part	Qty.
H	 SSDC72H** Center Divider	1
J	 SSDC72J** Top	1
K	 SSDC72K** Bottom Panel	1
L	 SSDC72L** Upper Track Support	1
M	 SSDC72M** Lower Track Support	1

Name	Part	Qty.
N	 SSDC72N** Back Panel -Left	1
O	 SSDC72O** Back Panel-Right	1
P	 SSDC72P** Left Side Panel	1
Q	 SSDC72Q** Right Side Panel	1
R	 SSDC72R** Upper Back Skirt	1
S	 SSDC72S** Lower Back Skirt	1

**Denotes Color Code

①

NOTE: The Sliding Door Cabinet has three interior configurations, A, B or C. You will find the assembly instructions for the cabinet and shelves in the carton for the shelf kit, SSDA, SSDB or SSDC.



2

3

Real Office Care Instructions

Finish Color Matching

Different wood species offer unique texture and grain. Minor variations in finish color, density or shade may occur due to natural characteristics of wood. The term "color match" and consistency are often misleading. The best case achievable using a natural product like wood in a wide variety of lighting conditions is a good "blend" of color and tone throughout the project area. The natural color of the wood product is even altered by the application of a "clear" topcoat finish. The apparent consistency of the color is a combination of light reflectance, cellular structure, natural characteristics, applied colors and sheen. - Architectural Woodwork Quality Standards Illustrated, 7th Edition, Version 1.0, 1997, pg. 454

Proper Care of Wood Surfaces

With proper care of the wood surfaces and finishes, your office furniture will provide elegance and convenience for years. Please reference these easy-to-follow guidelines whenever you have a question.

- Clean all surfaces frequently with a soft cloth dampened with warm water, moving the cloth with the grain. **(Do not use furniture polish, solvents or any wax or oil base products.) Never use paper towel.**
- Immediately remove any liquids that come in contact with wood surfaces with a blotting action.
- Lift objects to move them, never pull them across the finished surface.
- Avoid exposure of furniture to extremes of heat and cold, or to wide humidity variances.
- For an additional safeguard, use a protective desk pad. This single item could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.
- Do not leave plastic, vinyl or rubber items on finished wood surfaces. Sustained contact may cause deterioration of the finish due to possible chemical reaction between the plastic, vinyl or rubber and the catalyzed lacquer finish.
- If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.
- Avoid exposure of furniture to strong sunlight. The wood underneath the finish may change color from prolonged exposure to sunlight.
- Avoid exposure of furniture to harsh solvents (nail polish remover, acetates, etc.), as it will cause finish deterioration.

If you have any additional questions please contact our customer service department at 1-800-822-8037

realoffice

by Mayline Group
www.mayline.com