


ASSEMBLY INSTRUCTIONS
COMFORT SERIES - BIG & TALL
PIVOT ARM CHAIR (FABRIC)
MODEL NO. 6446AG



IMPORTANT!
Review ALL instructions before beginning assembly. These instructions are provided to avoid problems that may occur from improper assembly or installation. Mayline and/or its distributor are not responsible for failure resulting from improper assembly or installation of this product. Moreover, all warranties are void for failure to follow these assembly instructions.


















Mayline Company, LLC
 619 N. Commerce, P.O. Box 728
 Shakopee, MN 55082-0728
 Toll Free: 1-800-822-8037
 FAX: 920-457-7388
 On Line: www.mayline.com

Part No. 6446AG, Revision 08 07/19/2012


(1)

PARIS LIS I 6446AG
 When ordering components, specific color and/or size information may be required.
 Contact a Mayline Customer Service Representative. 1-800-822-8037
** Individual Items, Order by part number.*
*** Denotes Color Code*


Reference Letter A* Part Number CM300** Back Reference Letter		Quantity 1
Reference Letter B* Part Number CM310** Seat Reference Letter		Quantity 1
Reference Letter C* Part Number CM323** Arms New (pair) Reference Letter		STARTING WITH PO 231665 Quantity 1
Reference Letter C* Part Number CM320** Arms (pair) Reference Letter		Quantity 1
Reference Letter D* Part Number CM330 Mechanism Reference Letter		Quantity 1
Reference Letter E* Part Number CM336 Caster (5 pack) Reference Letter		Quantity 5
Reference Letter F* Part Number CM340 Base Reference Letter		Quantity 1

Reference Letter G* Part Number CM481 Cylinder Reference Letter		Quantity 1
Reference Letter H* Part Number CM350 Cylinder Cover Reference Letter		Quantity 1
Part Number CM358 * Hardware Pack CM355 * Hardware Pack (pre PO 231665)		
Reference Letter J Screw M8 X 25mm Reference Letter		Quantity 4
Reference Letter K Screw 1/4-21 X 1-1/4" Reference Letter		Quantity 4
Reference Letter L Screw M8 X 25mm Reference Letter		Quantity 6
Reference Letter M Arm Caps Reference Letter		Quantity 6
Reference Letter N Allen Wrench Reference Letter		Quantity 1
Reference Letter O Allen Wrench Reference Letter		Quantity 1

(2)




1. Place Base (F) upside down and push Casters (E) firmly into base. 5 places.
2. Turn Base right side up and insert Cylinder (G) into center hole of Base.
3. Place Cylinder Cover (H) over Cylinder.




4. Assemble Mechanism (D) onto Seat (B) using Screws (J) 4 places.

(3)




5. Assemble Back (A) onto Seat (B) using Screws (K) 4 places. DO NOT TIGHTEN SCREWS at this time. This will allow a tolerance when assembling arms.



6. Assemble Arms (C) 2 places onto Back (A) & Seat (B) using Screws (L) 6 places. DO NOT TIGHTEN SCREWS at this time.
7. After both arms are installed tighten all Screws (K) 4 places and Screws (L) 6 places.
8. Insert Arm Plugs (M) into Arms (C) 6 places.

(4)



8. Carefully place chair assembly onto base assembly.

NOTE:

Periodically (Every 90 days) make sure screws are fully tightened.

OPERATING INSTRUCTIONS FOR CENTER PIVOT MECHANISM

1. Seat Height Adjustment.


To raise the seat, pull lever upward and raise your body up slightly to allow the chair to rise to the desired height.

To lower the seat, pull lever upward and apply weight downward on the seat.

Seat Upright Lock.

To lock chair in upright position, lean forward and push knob toward chair.

To unlock chair in upright position, lean forward and pull away from chair.



2. Tilt Tension Control Knob.

Turn knob clockwise to increase tilt tension.

Turn knob counter-clockwise to decrease tilt tension.