








File-File Mobile Pedestal  
Model No.VFF




**ASSEMBLY INSTRUCTIONS**  
CALL 1-800-822-8037 FOR ASSISTANCE

# PARTS LIST

Name	Part	Qty.	Spare Qty	Name	Part	Qty.
<b>A</b>	 REALS005 4x16mm BLK	<b>16</b>	<b>2</b>	<b>D</b>	 REALS010 Handle-Silver	<b>2</b>
<b>B</b>	 REALS027 Caster-Non Lock	<b>2</b>		<b>E</b>	 Pedestal	<b>1</b>
<b>C</b>	 REALS052 Caster-Locking	<b>2</b>			 <b>KEYS</b>	

-Refer to page 5 for Pre-Installed Replacement Parts.


-For optional Black Handle, part number REALS011 can be ordered.

Replacement #	Part	Qty.
<b>REALS011</b>	 Handle-Black	<b>2</b>

## IMPORTANT!

Review **ALL** instructions before beginning assembly. These instructions are provided to avoid problems that may occur from improper assembly or installation. Mayline and/or its distributor are not responsible for failure resulting from improper assembly or installation of this product. Moreover, all warranties are void for failure to follow these assembly instructions.


1




Note: It is recommended that the drawers be removed before turning pedestal over to attach casters. To remove drawers pull out until fully extended, locate the black locking tab on the side of each drawer slide. Depending on slide style, you either pull left tab up/push right tab down or pull both tabs forward...then pull drawer off slides.

2


2









3



3



## Pre-Assembled Replacement Part List

Replacement #	Part	Qty.
<b>REALS045</b>	 Handle Screw 4x25mm	<b>2</b>
<b>REALS059</b>	 18" Drawer Slide	<b>Pair</b>
<b>REALS060</b>	 Legal Hanger Bar	<b>1</b>
<b>NBFPLCC</b>	 Lock w/ keys	<b>1</b>
<b>VFFT**</b>	 Top	<b>1</b>
<b>VFFDF**</b>	 Drawer Fronts-Set	<b>1</b>

\*\*Denotes Color Code

# Real Office Care Instructions

## Finish Color Matching

*Different wood species offer unique texture and grain. Minor variations in finish color, density or shade may occur due to natural characteristics of wood. The term "color match" and consistency are often misleading. The best case achievable using a natural product like wood in a wide variety of lighting conditions is a good "blend" of color and tone throughout the project area. The natural color of the wood product is even altered by the application of a "clear" topcoat finish. The apparent consistency of the color is a combination of light reflectance, cellular structure, natural characteristics, applied colors and sheen. - Architectural Woodwork Quality Standards Illustrated, 7th Edition, Version 1.0, 1997, pg. 454*

## Proper Care of Wood Surfaces

With proper care of the wood surfaces and finishes, your office furniture will provide elegance and convenience for years. Please reference these easy-to-follow guidelines whenever you have a question.

- Clean all surfaces frequently with a soft cloth dampened with warm water, moving the cloth with the grain. **(Do not use furniture polish, solvents or any wax or oil base products.) Never use paper towel.**
- Immediately remove any liquids that come in contact with wood surfaces with a blotting action.
- Lift objects to move them, never pull them across the finished surface.
- Avoid exposure of furniture to extremes of heat and cold, or to wide humidity variances.
- For an additional safeguard, use a protective desk pad. This single item could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.
- Do not leave plastic, vinyl or rubber items on finished wood surfaces. Sustained contact may cause deterioration of the finish due to possible chemical reaction between the plastic, vinyl or rubber and the catalyzed lacquer finish.
- If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.
- Avoid exposure of furniture to strong sunlight. The wood underneath the finish may change color from prolonged exposure to sunlight.
- Avoid exposure of furniture to harsh solvents (nail polish remover, acetates, etc.), as it will cause finish deterioration.

If you have any additional questions please contact our customer service department at 1-800-822-8037